

	Page: 1
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

Conforms to EU Regulation 1907/2006/EC as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SOFT CARE MED

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Hand disinfection

Recommended restrictions on use : Uses other than those identified are not recommended use

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor
4, 3621ZB Breukelen, The Netherlands
Diversey Ltd - Weston Favell Centre,
Northampton NN3 8PD

United Kingdom

E-mail address of person responsible for the SDS:

HazardCommunication@solenis.com

Product Information

01604 405311

customerservice.uk@solenis.com,
Diversey.com

1.4 Emergency telephone

Seek medical advice (show the label or safety data sheet where possible), For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2

H225: Highly flammable liquid and vapor.

Eye irritation, Category 2

H319: Causes serious eye irritation.

Specific target organ toxicity - single exposure, Category 3, Central nervous system

H336: May cause drowsiness or dizziness.

	Page: 2
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary Statements : P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271 Use only outdoors or in a well-ventilated area.
P261 Avoid breathing vapors.
P233 Keep container tightly closed.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of unused content as chemical waste.

Hazardous ingredients which must be listed on the label:

propan-2-ol

propan-1-ol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f) at levels of 0.1% or higher.

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f), at levels of 0.1% or higher.

	Page: 3
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 60 - < 70
propan-1-ol	71-23-8 200-746-9	Flam. Liq. 2; H225 Eye Dam. 1; H318 STOT SE 3; H336 (Central nervous system)	>= 2,5 - < 3
Substances with a workplace exposure limit :			
glycerol	56-81-5 200-289-5 01-2119471987-18-xxxx		>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	: Move out of dangerous area. Call a POISON CENTER or doctor/physician if exposed or you feel unwell. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Move to fresh air. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Consult a physician after significant exposure.
In case of skin contact	: If on clothes, remove clothes. If on skin, rinse well with water. First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Immediately flush eye(s) with plenty of water.

	Page: 4
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.
May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.
Do not allow run-off from fire fighting to enter drains or water courses.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

5.3 Advice for firefighters

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

	Page: 5
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Remove all sources of ignition.
Use personal protective equipment.
Ensure adequate ventilation.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
Suppress (knock down) gases/vapors/mists with a water spray jet.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Should not reach sewage water or drainage ditch undiluted or unneutralised

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

For further information see Section 8 and Section 13 of the safety data sheet.

	Page: 6
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Open drum carefully as content may be under pressure.
 Avoid formation of aerosol.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Do not breathe vapors/dust.
 Do not smoke.
 Container hazardous when empty.
 Take precautionary measures against static discharges.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). No sparking tools should be used. Keep away from open flames, hot surfaces and sources of ignition. Use only explosion-proof equipment.
- Hygiene measures : When using do not smoke. Wash hands before breaks and at the end of workday. When using do not eat or drink.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. No smoking.
- Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

	Page: 7
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

Components	CAS-No. EC-No.	Value type (Form of exposure)	Control parameters	Basis
ISOPROPANOL	67-63-0	TWA	400 ppm 999 mg/m3	GB EH40
		STEL	500 ppm 1.250 mg/m3	GB EH40
N-propyl alcohol	71-23-8	STEL	250 ppm 625 mg/m3	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		TWA	200 ppm 500 mg/m3	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
Glycerin	56-81-5	TWA (Mist)	10 mg/m3	GB EH40
	Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			

8.2.Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.If available, please refer to the product information sheet for application and handling instructions.Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Appropriate organisational controls:

: Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Should not reach sewage water or drainage ditch undiluted or unneutralised

Personal protective equipment

Eye protection (EN ISO 16321) : Wear face-shield and protective suit for abnormal processing problems.
Eye wash bottle with pure water
Tightly fitting safety goggles

	Page: 8
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Safety glasses or goggles (EN 16321)
The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur

Hand protection (EN ISO 374)

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:
Material: butyl rubber
Penetration time: ≥ 480 min
Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes:
Material: nitrile rubber
Penetration time: ≥ 30 min
Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Protective measures : No special requirements under normal use conditions

Skin and body protection (EN 14605) : Wear as appropriate:
Impervious clothing
Safety shoes
Flame-resistant clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605)

Respiratory protection (EN 136, EN 143, EN 14387) : In the case of vapor formation use a respirator with an approved filter.

	Page: 9
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Color	: colorless, clear
Odor	: Alcohol, To Match Standard (TMS)
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flammability	:
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: 19,00 °C
Autoignition temperature	: 99,00 °C
Decomposition temperature	: No data available
pH	: 7,00
Viscosity	

	Page: 10
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

Viscosity, dynamic : No data available

Viscosity, kinematic : 65,000 mm²/s

Solubility(ies)
Water solubility : completely soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapor pressure : No data available

Relative density : No data available

Density : 0,8530 g/cm³

Relative vapor density : No data available

Particle characteristics
Assessment : No data available

Particle size : No data available

Particle Size Distribution : No data available

Dustiness : No data available

Shape : No data available

Crystallinity : No data available

	Page: 11
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

Surface treatment : No data available
/Coatings

9.2 Other information

Explosives : Not explosive, based on substance properties.

Oxidizing properties : Not oxidative based on substance properties

Self-ignition : No data available

Evaporation rate : No data available

Surface tension : OECD 115, Not relevant for classification of this product.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
Vapors may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : None known under normal use conditions

10.6 Hazardous decomposition products

None known under normal storage and use conditions

	Page: 12
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

propan-2-ol:

- Acute oral toxicity : LD50 (Rat): 5,84 g/kg
- Acute inhalation toxicity : LC 50 (Rat): 16000 ppm
Exposure time: 4 h
Test atmosphere: vapor
- Acute dermal toxicity : LD50 (Rabbit): 12.800 mg/kg

propan-1-ol:

- Acute oral toxicity : LD50 (Rat, male and female): 8.000 mg/kg
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat, male and female): > 33,8 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Remarks: No mortality observed at this dose.
- Acute dermal toxicity : LD50 (Rabbit, male): 4.032 mg/kg
Method: OECD Test Guideline 402

glycerol:

- Acute oral toxicity : LD50 (Rat): 12.600 mg/kg
Method: OECD Test Guideline 401
- Acute dermal toxicity : LD50 (Rabbit): > 10 g/kg

Skin corrosion/irritation

Not classified due to lack of data.

Product:

- Remarks : May cause skin irritation in susceptible persons.

Components:

propan-2-ol:

	Page: 13
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

Result : Slightly irritating to skin

propan-1-ol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

glycerol:

Result : Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : Causes serious eye irritation.

Components:

propan-2-ol:

Result : Irritating to eyes

propan-1-ol:

Species : Rabbit
Result : Irreversible effects on the eye

glycerol:

Result : Mildly irritating to eyes

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Components:

propan-1-ol:

Species : Guinea pig
Method : Maximization Test
Result : Not a skin sensitizer.

	Page: 14
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

May cause drowsiness or dizziness.

Components:

propan-2-ol:

Assessment : May cause drowsiness or dizziness.

propan-1-ol:

Routes of exposure : Inhalation
Target Organs : Central nervous system
Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f), at levels of 0.1% or higher.

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.

	Page: 15
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

SECTION 12: Ecological information

12.1 Toxicity

Components:

propan-2-ol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 5.770 - 7.450 mg/l
Exposure time: 96 h
Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 24 h
Test Type: static test

propan-1-ol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.555 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.644 mg/l
Exposure time: 48 h
Test Type: static test
Method: DIN 38412
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 9.170 mg/l
Exposure time: 48 h
Test Type: static test
- NOEC (Chlorella pyrenoidosa): 1.150 mg/l
Exposure time: 48 h
Test Type: static test
- Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC 50: > 100 mg/l
End point: Reproduction Test
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

	Page: 16
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

glycerol:

Toxicity to fish : LC50 (Goldfish (Carassius auratus)): > 5.000 mg/l
Exposure time: 24 h
Method: Static
Remarks: Mortality

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 24 h
Method: Static
Remarks: Mortality

12.2 Persistence and degradability

Components:

propan-2-ol:

Biodegradability : Result: Readily biodegradable.

propan-1-ol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 83 - 92 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

Components:

propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0,05

propan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 0,2 (25 °C)
Method: OECD Test Guideline 117

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1,76

12.4 Mobility in soil

No data available

	Page: 17
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f) at levels of 0.1% or higher.

No data available

12.7 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADR: UN1219

ADN: UN1219

RID: UN1219

IMDG-Code: UN1219

	Page: 18
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

IATA-DGR: UN1219

14.2 UN proper shipping name

ADR: ISOPROPANOL
ADN: ISOPROPANOL
RID: ISOPROPANOL
IMDG-Code: ISOPROPANOL
IATA-DGR: Isopropanol

14.3 Transport hazard class(es)

ADR: 3
ADN: 3
RID: 3
IMDG-Code: 3
IATA-DGR: 3

14.4 Packing group

ADR: II
ADN: II
RID: II
IMDG-Code: II
IATA-DGR: II

14.5 Environmental hazards

ADR: Not applicable
ADN: Not applicable
RID: Not applicable
IMDG-Code: Not applicable
IATA-DGR: Not applicable

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

	Page: 19
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) P5c FLAMMABLE LIQUIDS

Ingredients which must be listed on the label

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

CA. DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

	Page: 20
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Further information

Revision Date: 29.04.2026

Classification of the mixture:

Flam. Liq. 2 H225
 Eye Irrit. 2 H319
 STOT SE 3 H336

Classification procedure:

Based on product data or assessment
 Calculation method
 Calculation method

Full text of H-Statements

H225 : Highly flammable liquid and vapor.
 H318 : Causes serious eye damage.
 H319 : Causes serious eye irritation.
 H336 : May cause drowsiness or dizziness.

Full text of other abbreviations

Eye Dam. : Serious eye damage
 Eye Irrit. : Eye irritation
 Flam. Liq. : Flammable liquids
 STOT SE : Specific target organ toxicity - single exposure
 GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
 GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
 GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test

	Page: 21
SAFETY DATA SHEET	Revision Date: 29.04.2026
	Print Date: 18.06.2026
	SDS Number: R1932836
SOFT CARE MED 9293690	Version: 1.1

population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

GB / EN