

	Page: 1
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Conforms to EU Regulation 1907/2006/EC as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SUMA AUTO OVEN CLEAN D9.10

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Oven/Grill cleaner
Cleaning in place chemical
Kitchen surface cleaner
for indirect food contact

Recommended restrictions on use : For professional use only

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor
4, 3621ZB Breukelen, The Netherlands
Diversey Ltd - Weston Favell Centre,
Northampton NN3 8PD

United Kingdom

E-mail address of person responsible for the SDS:

HazardCommunication@solenis.com

Product Information

01604 405311

customerservice.uk@solenis.com,
Diversey.com

1.4 Emergency telephone

Seek medical advice (show the label or safety data sheet where possible), For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to Metals, Category 1

H290: May be corrosive to metals.

Skin corrosion, Sub-category 1A

H314: Causes severe skin burns and eye damage.

	Page: 2
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P390 Absorb spillage to prevent material damage.

Hazardous ingredients which must be listed on the label:

potassium hydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f) at levels of 0.1% or higher.

	Page: 3
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f), at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
potassium hydroxide	1310-58-3 215-181-3 01-2119487136-33- xxxx	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 specific concentration limit Skin Corr. 1A; H314 ≥ 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0,5 - < 2 % Eye Irrit. 2; H319 0,5 - < 2 %	≥ 5 - < 10
sodium cumenesulphonate	15763-76-5 248-983-7 01-2119489411-37- xxxx	Eye Irrit. 2; H319	≥ 1 - < 2,5
Substances with a workplace exposure limit :			
glycerol	56-81-5 200-289-5 01-2119471987-18- xxxx		≥ 2,5 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

	Page: 4
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

- If inhaled : Move to fresh air.
If breathed in, move person into fresh air.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If skin irritation persists, call a physician.
If on clothes, remove clothes.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Clean mouth with water and drink afterwards plenty of water.
Take victim immediately to hospital.
Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye damage.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

	Page: 5
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Should not reach sewage water or drainage ditch undiluted or unneutralised

	Page: 6
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : To avoid spills during handling keep bottle on a metal tray.
Do not breathe vapors/dust.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not smoke. Wash hands before breaks and at the end of workday. When using do not eat or drink. Ensure that eyewash stations and safety showers are close to the workstation location.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

	Page: 7
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No. EC-No.	Value type (Form of exposure)	Control parameters	Basis
potassium hydroxide	1310-58-3	STEL	2 mg/m ³	GB EH40
Glycerin	56-81-5	TWA (Mist)	10 mg/m ³	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
potassium hydroxide	Consumers	Inhalation	Long-term local effects	1 mg/kg bw/day
	Workers	Inhalation	Long-term local effects	1 mg/kg bw/day
Glycerin	Consumers	Inhalation	Long-term systemic effects	33 mg/kg bw/day
	Workers	Inhalation	Long-term local effects	56 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	56 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	229 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
glycerol	Fresh water	0,885 mg/l
	Sea water	0,0885 mg/l
	Intermittent use/release	8,85 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	3,3 mg/l
	Sea sediment	0,33 mg/l
	Soil	0,141 mg/l

8.2.Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Engineering measures

	Page: 8
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Appropriate organisational controls: : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Should not reach sewage water or drainage ditch undiluted or unneutralised

Personal protective equipment

Eye protection (EN ISO 16321) : Wear face-shield and protective suit for abnormal processing problems.
Eye wash bottle with pure water
Tightly fitting safety goggles
Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.
Maintain eye wash station in immediate work area.

Safety glasses or goggles (EN 16321)
The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur

Hand protection (EN ISO 374)

Remarks : Wear resistant gloves (consult your safety equipment supplier). Discard gloves that show tears, pinholes, or signs of wear. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:
Material: butyl rubber
Penetration time: ≥ 480 min
Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes:
Material: nitrile rubber
Penetration time: ≥ 30 min

	Page: 9
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Protective measures	:	No special requirements under normal use conditions
Skin and body protection (EN 14605)	:	Wear as appropriate: Impervious clothing Chemical resistant apron Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	amber
Odor	:	characteristic
Odor Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available

	Page: 10
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

flammability limit

Flash point : not determined

Decomposition temperature : No data available

pH : 13,0

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : completely soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapor pressure : No data available

Relative density : No data available

Density : 1,1000 g/cm3

Relative vapor density : No data available

Particle characteristics

Assessment : No data available

Particle size : No data available

	Page: 11
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Particle Size Distribution : No data available

Dustiness : No data available

Shape : No data available

Crystallinity : No data available

Surface treatment : No data available
/Coatings

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non Oxidative

Sustained combustibility : Sustains combustibility: no

Self-ignition : No data available

Evaporation rate : No data available

Surface tension : OECD 115, Not relevant for classification of this product.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

	Page: 12
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Reacts with acids.
May be corrosive to metals.

10.6 Hazardous decomposition products

None known under normal storage and use conditions

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 333 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 1.260 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

sodium cumenesulphonate:

Acute oral toxicity : LD50 (Rat): 3.346 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6,41 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Read-across (Analogy)

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402

glycerol:

Acute oral toxicity : LD50 (Rat): 12.600 mg/kg
Method: OECD Test Guideline 401

	Page: 13
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Acute dermal toxicity : LD50 (Rabbit): > 10 g/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Extremely corrosive and destructive to tissue.
Causes severe skin burns and eye damage.

Components:

potassium hydroxide:

Result : Corrosive to skin

sodium cumenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

glycerol:

Result : Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

potassium hydroxide:

Result : Corrosive to eyes

sodium cumenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Eye irritation

glycerol:

Result : Mildly irritating to eyes

	Page: 14
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Components:

sodium cumenesulphonate:

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

sodium cumenesulphonate:

Germ cell mutagenicity- : Weight of evidence does not support classification as a germ
Assessment cell mutagen.

Carcinogenicity

Not classified due to lack of data.

Components:

sodium cumenesulphonate:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

Reproductive toxicity

Not classified due to lack of data.

Components:

sodium cumenesulphonate:

Reproductive toxicity - : No toxicity to reproduction
Assessment

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

	Page: 15
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Repeated dose toxicity

Components:

sodium cumenesulphonate:

Species	: Rat
NOAEL	: 763 - 3534 mg/kg bw/day
Application Route	: Oral
Method	: OECD Test Guideline 408
Symptoms	: No adverse effects.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f), at levels of 0.1% or higher.
------------	--

Further information

Product:

Remarks	: No data available
---------	---------------------

SECTION 12: Ecological information

12.1 Toxicity

Components:

potassium hydroxide:

Ecotoxicology Assessment

Acute aquatic toxicity	: This product has no known ecotoxicological effects.
Chronic aquatic toxicity	: This product has no known ecotoxicological effects.

sodium cumenesulphonate:

Toxicity to fish	: LC50 : > 100 mg/l
------------------	---------------------

	Page: 16
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus (Water flea)): > 304 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

glycerol:

Toxicity to fish : LC50 (Goldfish (Carassius auratus)): > 5.000 mg/l
Exposure time: 24 h
Method: Static
Remarks: Mortality

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 24 h
Method: Static
Remarks: Mortality

12.2 Persistence and degradability

Components:

potassium hydroxide:

Biodegradability : Result: The methods for determining biodegradability are not applicable to inorganic substances.

sodium cumenesulphonate:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Result: rapidly biodegradable
Biodegradation: 98 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1,76

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

	Page: 17
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f) at levels of 0.1% or higher.

No data available

12.7 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Send to a licensed waste management company.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR: UN1814

ADN: UN1814

Revision Date: 06.08.2026

Print Date: 05.09.2026

SDS Number: R1906446

SUMA AUTO OVEN CLEAN D9.10

Version: 1.1

100849178

RID: UN1814

IMDG-Code: UN1814

IATA-DGR: UN1814

□ □

□ □

□ □

□ □

■ ■

1

□ □

□

□ □

□ □

□ □

□ □

1

□ □

□ □

□ □

□ □

:

□

□ □

■ ■

■ ■

Revision Date: 06.08.2026

Print Date: 05.09.2026

SDS Number: R1906446

SUMA AUTO OVEN CLEAN D9.10

Version: 1.1

100849178

[illegible]

: Not applicable

	Page: 22
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

- : Not applicable
- : Not applicable
- : Not applicable
- : Not applicable
- : Not applicable
- : Not applicable
- : Not applicable
- : Not applicable
- : Not applicable
- : Not applicable
- : Not applicable

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of substances subject to authorisation : Not applicable
(Annex XIV)

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) : Not applicable

	Page: 23
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

Ingredients which must be listed on the label

The ingredients of this product are reported in the following inventories:

TW TCSI	: On the inventory, or in compliance with the inventory
US TSCA	: All substances listed as active on the TSCA inventory
AU AIIC	: On the inventory, or in compliance with the inventory
CA. DSL	: All components of this product are on the Canadian DSL
JP ENCS	: On the inventory, or in compliance with the inventory
KR KECI	: On the inventory, or in compliance with the inventory
PH PICCS	: On the inventory, or in compliance with the inventory
CN IECSC	: On the inventory, or in compliance with the inventory

15.2 Chemical Safety Assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 06.08.2026

Classification of the mixture:

Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318

Classification procedure:

Calculation method
Calculation method
Calculation method

	Page: 24
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Full text of H-Statements

H290 : May be corrosive to metals.
 H302 : Harmful if swallowed.
 H314 : Causes severe skin burns and eye damage.
 H318 : Causes serious eye damage.
 H319 : Causes serious eye irritation.

Full text of other abbreviations

Acute Tox. : Acute toxicity
 Eye Dam. : Serious eye damage
 Eye Irrit. : Eye irritation
 Met. Corr. : Corrosive to Metals
 Skin Corr. : Skin corrosion
 GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
 GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
 GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; BGW - Biological Limit Values; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); LSPN - List of Hazardous Notified Substances (Chile); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical

	Page: 25
SAFETY DATA SHEET	Revision Date: 06.08.2026
	Print Date: 05.09.2026
	SDS Number: R1906446
SUMA AUTO OVEN CLEAN D9.10 100849178	Version: 1.1

Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

GB / EN